



# 2063/DIM/L/1 pistillo

design emiliana martinelli, 2004

Hanging device with diffuse light consisting of a tube made of shockproof methacrylate hanging with one or two steel cables. Wired for fluorescent tube, dimmerable electronical feeding unit which is integrated into the lamp or LED light source with electronic feeding unit mounted inside the box to the ceiling.

## 2063/DIM/L/1 pistillo

family: Designers: pistillo

Diffuser Color: Diffuser Materials:

Emiliana Martinelli

indoor

Utilization: Typology: pendant

Certifications:

Market:

IP20 (€ \$\frac{1}{2}\$ (€



This item is available in the following countries:

**EUROPE** 

Dimensions

Light Source

opal white methacrylate

Width: Height: Length: 180 cm

Depth: Diameter: 12 cm Hole Diameter: Hole Depth: Net weight: 5 Kg

60W Watt: 4700 lm Lumen: Light Source: led CRI: >80 duration: 50000 CCT: 3000K Energy degree: A++

**Device Specifications** 

400 cm Type of emission: diffused Power cable length: Driver: included Power: 64W Steel cable length: 350 cm Power supply assembly: external

electronic dimmable power Glow Wire Test: Light output: 4523lm Power supply: supply Beam angle: Impact Resistance:

Type of dimming: dali Voltage: 230V



### technical drawing




Dimensions

Width: - Hole Diameter: Height: - Hole Depth: Length: 180 cm Net weight: 5 Kg


Depth: -

Diameter: 12 cm

#### photometrics data



98W 0K LED TUBE G5 T5



64W 0K LED



# **pistillo** 2063/DIM/L/1 design emiliana martinelli, 2004





