



1221/BI tube

design elio martinelli, 1977

Wall lamp direct and indirect light or diffuser. Support in resin, metal reflector in white lacquered colour or satin glass. For Led bulb. Available in two sizes.

1221/BI tube

| | | | |
|-----------------|-----------------|---------------------|-----------------------|
| family: | tube | Body Color: | <input type="radio"/> |
| Designers: | Elio Martinelli | Diffuser Color: | <input type="radio"/> |
| Utilization: | indoor | Body Materials: | resin |
| Typology: | wall | Diffuser Materials: | metal satin glass |
| Certifications: | | | |

Market: This item is available in the following countries:
EUROPE

Dimensions

| | |
|-----------|-------|
| Width: | - |
| Height: | 10 cm |
| Length: | - |
| Depth: | 15 |
| Diameter: | 10 cm |


| | |
|----------------|--------|
| Hole Diameter: | - |
| Hole Depth: | - |
| Net weight: | 0,5 Kg |

Light Source

| | |
|----------------|--------|
| Watt: | 7W E27 |
| Lumen: | 0 lm |
| Light Source: | led |
| CRI: | >80 |
| duration: | 25000 |
| Energy degree: | A+ |

Device Specifications

| | | | | | |
|-------------------|-----------------|---------------------|---|------------------------|------|
| Type of emission: | direct/indirect | Power cable length: | - | Driver: | - |
| Power: | 8W | Steel cable length: | - | Power supply assembly: | - |
| Light output: | 400lm | Glow Wire Test: | - | Power supply: | - |
| Beam angle: | - | Impact Resistance: | - | Type of dimming: | - |
| | | | | Voltage: | 230V |



Dimensions

Width: -
Height: 10 cm
Length: -
Depth: 15
Diameter: 10 cm

Hole Diameter: -
Hole Depth: -
Net weight: 0,5 Kg



tube 1221/BI

design elio martinelli, 1977

