



Smithfield Suspension

Designed by Jasper Morrison, 2009



Halogen - 4 x 70W

Suspension lamp with direct light. Aluminium body. Available in gloss black,matt black, red, green, white or MUD. Injection-moulded opalescent methacrylate diffuser. Steel ceiling attachment with steel suspension cable, 5 pole electric cable in PTFE double insulation, working length 2700 mm.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607031339	
Mounting	Suspension	
Environments	Indoor dry location	
Light source type	Bulb	
Light sources included	No	
Lamp category	Halogen	
Lamp type	A70	
Lamp holders	E27	
Ilcos	HSGSA	
Number of lamps	4	
Power (W)	70	
System power (W)	280	

Physical

Colour	Mud
Length (mm)	600
Cord colour	Clear
Cord length (mm)	2700
Canopy colour	Mud
Canopy length/diameter (mm)	146
Canopy height (mm)	36
Net weight (kg)	4.5
Package height (mm)	310
Package width (mm)	710
Package length (mm)	710
Package volume (m3)	0.16
IP internal	20



























Schematic light drawing




Photometric

Light distribution Roto symmetric Extreme cut off No

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No









NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38

NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38

NOT INCLUDED

RF32563

LED Lamp 11.5W E27 220-240V 2700K A70

NOT INCLUDED

RF32564

LED Lamp 11.5W E27 220-240V 3000K A70





NOT INCLUDED


RF26259

LED Lamp 18W E27 2700K Dimmable NOT INCLUDED

RF26258

LED Lamp 18W E27 3000K T38 Dimmable

Spare Parts



01.	Mud rose assembly	RA369022
02.	Kit of 5 or rings	RF05382
03.	Wiring 2,7m FEP/PVC 3x0,75	RF29907
	Transparent	
04.	3 mt steel cable ø1,2 with 19	RF29665
	winded wires	
05.	Methacrylate diffuser	RF19022

Wiring 2,7m FEP/PVC 3x0,75

Transparent







RA3690221

RF05382

Mud rose assembly

Kit of 5 or rings

3 mt steel cable ø1,2 with 19 winded wires



Methacrylate diffuser